




TECHNICAL SHEET



**REAR DOOR OPENING
HYDRAULIC CYLINDERS**


Description / Dimensions



REAR DOOR CYLINDERS


REAR DOOR HYDRAULIC OPENING/CLOSING CYLINDERS FOR TANKS WITH HYDRAULIC LOCKS - STROKE 270 MM

Rear door hydraulic opening and closing cylinders with a 270 mm stroke for tanks with hydraulic rear door clamps, with parachute valve and automatic flow regulator.




REAR DOOR HYDRAULIC OPENING/CLOSING CYLINDERS FOR TANKS WITH HYDRAULIC LOCKS - STROKE 470 MM

Rear door hydraulic opening and closing cylinders with a 470 mm stroke for tanks with hydraulic rear door clamps, with parachute valve and automatic flow regulator.




LEFT REAR DOOR HYDRAULIC OPENING/CLOSING CYLINDERS FOR TANKS WITH MANUAL LOCKS - STROKE 200 MM

Left rear door hydraulic opening and closing cylinders with a 200 mm stroke for tanks with manual rear door clamps, with parachute valve and automatic flow regulator.




RIGHT REAR DOOR HYDRAULIC OPENING/CLOSING CYLINDERS FOR TANKS WITH MANUAL LOCKS - STROKE 200 MM

Right rear door hydraulic opening and closing cylinders with a 200 mm stroke for tanks with manual rear door clamps, with parachute valve and automatic flow regulator.




LEFT REAR DOOR HYDRAULIC OPENING/CLOSING CYLINDERS FOR TANKS WITH MANUAL LOCKS - STROKE 500 MM

Left rear door hydraulic opening and closing cylinders with a 500 mm stroke for tanks with manual rear door clamps, with parachute valve and automatic flow regulator.



RIGHT REAR DOOR HYDRAULIC OPENING/CLOSING CYLINDERS FOR TANKS WITH MANUAL LOCKS - STROKE 500 MM

Right rear door hydraulic opening and closing cylinders with a 500 mm stroke for tanks with manual rear door clamps, with parachute valve and automatic flow regulator.



Technical data

Version	270 mm stroke for tanks with hydraulic locks	470 mm stroke for tanks with hydraulic locks	200 mm stroke for tanks with manual locks	500 mm stroke for tanks with manual locks
Weight	12 kg	16 kg	12 kg	16 kg
Working pressure	180 bar	180 bar	180 bar	180 bar

Versions

description	code
Hydraulic cylinders for tanks with hydraulic locks - stroke 270 mm	6.408202610-1
Hydraulic cylinders for tanks with hydraulic locks - stroke 470 mm	6.408201451-1
Left hydraulic cylinders for tanks with manual locks - stroke 200 mm	6.408202630-1
Right hydraulic cylinders for tanks with manual locks - stroke 200 mm	6.408202640-1
Left hydraulic cylinders for tanks with manual locks - stroke 500 mm	6.408202670-1
Right hydraulic cylinders for tanks with manual locks - stroke 500 mm	6.408202680-1

Examples of application

CYLINDERS FOR TANKS WITH HYDRAULIC LOCKS



CYLINDERS FOR TANKS WITH MANUAL LOCKS





MORO KAISER **COMPONENTS**

MORO KAISER S.R.L.

Via Pontebbana, 16
33080 FIUME VENETO (PN) ITALY

Tel. 0434 951.211

Fax: 0434 957.786

infomoro@morokaiser.it